


## 9649-78

Steel washers of accuracy grade A for pins.  
SpecificationsMKC 21.060.30  
12 8000

01.07.79

3 100 ,  
( , . 2).  
1.  
1.1.



|       |     |     |     |     |     |     |     |     |     |     |     |     |     |      |     |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|
| $d_1$ | 3   | 4   | 5   | 6   | 8   | 10  | 12  | 14  | 16  | 18  | 20  | 22  | 24  | (25) | 27  |
| $d_2$ | 6   | 8   | 10  | 12  | 15  | 18  | 20  | 22  | 24  | 28  | 30  | 34  | 37  | 36   | 39  |
| $s$   | 0,8 | 0,8 | 1,0 | 1,6 | 2,0 | 2,5 | 3,0 | 3,0 | 3,0 | 4,0 | 4,0 | 4,0 | 4,0 | 4,0  | 5,0 |

|       |      |     |      |     |     |     |     |     |     |      |     |      |     |      |      |      |
|-------|------|-----|------|-----|-----|-----|-----|-----|-----|------|-----|------|-----|------|------|------|
| $d_1$ | (28) | 30  | (32) | 33  | 36  | 40  | 45  | 50  | 55  | 60   | 65  | 70   | 75  | 80   | 90   | 100  |
| $d_2$ | 40   | 44  | 45   | 47  | 50  | 56  | 60  | 66  | 72  | 78   | 90  | 92   | 100 | 98   | 110  | 120  |
| $s$   | 4,0  | 5,0 | 4,0  | 5,0 | 6,0 | 6,0 | 6,0 | 8,0 | 8,0 | 10,0 | 8,0 | 10,0 | 8,0 | 12,0 | 12,0 | 12,0 |

$$t/j = 12 ,$$

08 ,

:

12.01.08 .05 9649-78.

( , . 3).  
1.2.  
( , . 1).

|        |           |        |        |
|--------|-----------|--------|--------|
|        | <b>2.</b> |        |        |
| 2.1.   | —         | 18123. |        |
| (      | 1).       |        |        |
| 2.2. ( | , . 3).   |        |        |
| 2.3.   |           |        | 18160. |
| (      | , . 3).   |        |        |
|        | <b>3.</b> |        |        |
| 3.1.   | —         | 17769. |        |
|        | <b>4.</b> |        |        |
| 4.1.   | —         | 18123. |        |
| . 5. ( | , . 3).   |        |        |

| c/j, | 1000 . , | c/j, | 1000 . , |
|------|----------|------|----------|
| 3    | 0,14     | 30   | 32,00    |
| 4    | 0,24     | (32) | 24,69    |
| 5    | 0,47     | 33   | 34,00    |
| 6    | 1,06     | 36   | 44,00    |
| 8    | 2,20     | 40   | 57,00    |
| 10   | 3,46     | 45   | 58,00    |
| 12   | 4,00     | 50   | 92,00    |
| 14   | 5,00     | 55   | 107,00   |
| 16   | 6,00     | 60   | 153,10   |
| 18   | 11,00    | 65   | 191,13   |
| 20   | 12,00    | 70   | 219,70   |
| 22   | 17,00    | 75   | 215,79   |
| 24   | 20,00    | 80   | 237,00   |
| (25) | 16,55    | 90   | 295,90   |
| 27   | 25,00    | 100  | 325,60   |
| (28) | 20,12    |      |          |

.( , . 3).

1. -
2. 06.07.78 1836
3. 4731—84
4. 8738—86
5. 9649—66
6. -
7. 17769-83 3.1  
18123-82 2.1, 4.1  
18160-72 2.3
8. 1988 . ( 2-84, 7-85, 6-88) 1, 2, 3, ( 3—93 5-6—93) 1983 ., 1985 ., -