

10303-80

5-2004

# 10303-80

Flat-head rivets classes and Specifications

21.060.40

01.01.81


2 36

10304

1.

1.1.

.1 2.



1

$d$	2	2,5	3	4	5	6	8	10	12	16	20	24	30	36
$D$	3,8	4,8	5,5	7,5	9,5	11	14	16	20	25	32	40	50	60
	1	1,2	1,6	2	2,5	3	4	5	6	8	10	12	15	18
	0,2		0,4		0,5		0,6	0,8	1,0		1,2		1,6	
	0,5	0,7		1,0	1,3		2,0		2,6	3,0	4,0	5,3	6,6	8,0
1	3			4			6			8		10		

<i>d</i>	<i>L</i>	<i>d</i>	<i>L</i>
2,0	4-10	10	16-85
2,5	5-14	12	18-90
3,0	5-18	16	24-110
4,0	6-32	20	32-150
5,0	8-60	24	50-180
6,0	10-60	30	60-180
8,0	14-60	36	60-180

1.2. : 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 45, 48, 50, 52, 55, 58, 60, 65, 70, 75, 80, 85, 90, 95, 100, 110, 120, 130, 140, 150, 160, 170, 180 .

$d = 8$  ,  $L = 20$  , 00, :  
8 20.00 10303—80

1.1, 1.2. ( , . 1).  
1.3. .

2.

2.1. =1 —±0,28 .

<i>L<sub>r</sub></i>	1000 . , , , <i>d</i> ,													
	2	2,5	3	4	5	6	8	10	12	16	20	24	30	36
4	0,175													
5	0,200	0,339	0,527											
6	0,225	0,378	0,583	1,188										
7	0,249	0,416	0,638	1,287										
8	0,274	0,455	0,694	1,385	2,431									
9	0,299	0,494	0,749	1,484	2,586									
10	0,323	0,532	0,805	1,582	2,740	4,135								
12		0,609	0,916	1,780	3,048	4,578								
14		0,686	1,027	1,977	3,356	5,022	9,63							
16			1,138	2,174	3,665	5,466	10,42	16,47						
18			1,248	2,372	3,973	5,910	11,21	17,71	28,45					
20				2,569	4,281	6,354	11,99	18,94	30,23					
22				2,766	4,589	6,798	12,78	20,17	32,00					
24				2,964	4,898	7,242	13,57	21,40	33,78	63,55				
26				3,161	5,206	7,686	14,36	22,64	35,55	66,71				
28				3,358	5,514	8,13	15,15	23,87	37,33	69,87				
30				3,555	5,822	8,57	15,94	25,10	39,10	73,02				

L	1000 . . . . . , d													
	2	2,5	3	4	5	6	8	10	12	16	20	24	30	36
32				3,753	6,131	9,02	16,73	26,34	40,88	76,18	131,7			
34					6,439	9,46	17,52	27,57	42,66	79,34	136,7			
36					6,747	9,90	18,31	27,80	44,30	82,49	141,6			
38					7,053	10,35	19,10	30,04	46,21	85,65	146,5			
40					7,364	10,79	19,89	31,27	47,98	88,81	151,5			
42					7,672	11,24	20,68	32,50	49,76	91,96	156,4			
45					8,134	11,90	21,86	34,35	52,42	96,70	163,8			
48					8,597	12,57	23,04	36,20	55,08	101,40	171,2			
50					8,905	13,01	23,83	37,43	56,86	104,60	176,1	277,3		
52					9,213	13,46	24,62	38,67	58,64	107,70	181,1	284,4		
55					9,676	14,12	25,80	40,52	61,30	112,50	188,5	295,0		
58					10,140	14,79	26,99	42,37	63,95	117,20	195,9	305,7		
60					10,450	15,23	27,78	43,60	65,74	120,40	200,8	312,8	527,7	815,9
65								46,68	70,18	128,30	213,1	330,5	555,4	855,8
70								49,77	74,62	136,20	225,4	348,3	583,1	895,8
75								52,85	79,06	144,00	237,8	366,0	610,9	935,7
80								55,93	83,49	151,94	250,1	383,8	638,7	975,7
85								59,01	87,93	159,83	262,4	401,6	666,4	1015,6
90									92,37	167,72	274,7	419,3	694,1	1055,6
95										175,62	287,1	437,1	721,9	1095,5
100										183,53	299,4	454,8	749,6	1135,5
110										199,29	324,1	490,3	805,1	1215,4
120											348,8	525,9	860,6	1295,3
130											373,4	561,4	916,1	1375,2
140											398,1	596,9	971,6	1455,1
150											422,7	632,4	1027,1	1534,9
160												667,9	1082,6	1614,9
170												703,4	1138,1	1694,8
180												738,9	1193,5	1774,7

1,080 — ; 1,134 — : 0,356 — ;  
 ( , . 1).

.4 10303-80

1. -

2. 06.05.80 2010

3. 10303-68

4. -

---

10304-80	

---

5. 1985 . , \_\_\_\_\_ ( 5-94 11-12-94)

6. ( 2004 . ) 1, 1990 . ( 10-90)

02354 14.07.2000.

10.11.2004.  
284

4544. 1099.

03.12.2004. .0,93. .0,40.

,107076 ,14.  
<http://www.standards.ru> e-mail: info@standards.ru

— .“ 080102 ”,105062 , .6.