



1759.3-83
(3682-82)

• • , • • , • • , • • , • •

• • •

23 1983 . 2662

-

1759 .3-83

(3682—82}

Nuts. Surface defects and methods of control

1759—70

12 8300*

23

1983 . 2662

01.01.84


1 48

3682—82.

1.

1.1.

1.1.1.




1 — ;
 2 — ; 3 — ;
 ; ()

.1.

1 .2.

.2




1 — ;
 2 — ; 3 — ;
 ; 4 — ;
 ; 5 — ;

.2

1.1.3.

45°


. 3



. 3

1.1.4.


. 4



. 4

1.1.5.


. 5



. 5

1.2.

.6




1—

.6


1.3.

.7



2

3



1 —

2—


, 3—, 3

4—

.7

1.4.



. 8



. 8

1.5.

. 9




9

1.6.

—

. 10



1—

. 10

1.7. 3

2.

2.1.

2.2.

0,5 (—), — 0,3

2.3. (),

0,02S+0,25 , S

(d — 0,08 d_c). , 0,04 d_c

0,04 d

(d— 2.4.).

-

0,013 d
0,02 d —

d 36
d 36 .

2.5.

-

2.6.

-

. 1.

1

		, %
14 . 14 24 . 24	0,25 0,017 d 0,02 d	5 7 10

2.7.

, , . 2.

2

		Ra%
		6.3 12,5
	; ;	12,5
	;	25

2.8.

:

;
,

-

3.

3.1.

. 2.2—2.4, 2.6

3.2.

. 1.1 —1.7

3.3.

-
-
-
-
-
-
-
-
-

. 28.06.83 . *. 09.09.83 0,5 . . 0,45 .- . . . 40000 3 .
« » , 123557, , 256, . 1913 ., 3.

